




WHEEL DOLLY TRUCKS AND BUSES



EASY AND SAFE MOUNTING, DEMOUNTING AND HANDLING OF HEAVY WHEELS FOR TRUCKS AND BUSES. IDEAL FOR SERVICE TRUCKS



Capable of handling wheels up to size 445/65 - 22,5"



Ergonomical handle makes the wheel dolly easily controllable by just one mechanic.

Weight: 15 kg.

Capacity 250 kg.

WD Mobile


Rollers with ball bearings for easy rotation and positioning of wheels onto hubs.



The rollers have three positions each side for different wheels sizes.



Extra support wheels for easy and safe maneuvering even when fully loaded.



Spring loaded support for fast and easy storing without load.



WHEEL LIFTER TRUCKS AND BUSES



IDEAL FOR HANDLING LARGE, HEAVY WHEELS ON TRUCKS, BUSES AND VANS




WD 800

Capacity 800 kg.

Max. lifting height 665 mm.

Dual rollers fitted with bearings for separate rotation and positioning of wheels.




Sliding arms. Enables handling of wheels with diameter from \varnothing 545 mm - 1278 mm.



Position of cylinder provides clear access to operating area through the open frame.



Ideal for lifting heavy twin wheels.



Weight: 136 kg.



WHEEL LIFTER

AGRICULTURAL AND EARTH MOVING MACHINERY



EASY AND SAFE MOUNTING, DEMOUNTING AND HANDLING OF LARGE WHEELS UP TO 2400 MM





WHEEL LIFTER


AGRICULTURAL AND EARTH MOVING MACHINERY



Capable of handling large wheels from 1250 mm up to 2400 mm in diameter and up to 1050 mm in width.



2 x 4 large rollers improve handling of tyres with deep treads.



Large open working area, due to the built-in hydraulic.



Hands-free switch between lifting and lowering action.



Mobile: Easy to use outside the workshop. Disassembled in a few seconds.



Keyword:
Compac WD 1600

